

# RONEY PARRISH DESIGN GROUP, INC.

RESIDENTIAL DESIGNERS AND PLANNERS

September 9, 2002

Pinellas County Building Department  
Technical Services Building  
310 Court Street  
Clearwater, Florida 34615

RE: The Villages of North Redington Beach - Yacht Club Complex  
4 Unit Bldg. - Units 1, 2, 3, & 4  
6 Unit Bldg. - Units 5, 6, 7, 8, 9, & 10  
6 Unit Bldg. - Units 11, 12, 13, 14, 15, & 16  
4 Unit Bldg. - Units 17, 18, 19, & 20  
4 Unit Bldg. - Units 21, 22, 23, & 24  
4 Unit Bldg. - Units 25, 26, 27, & 28

Project #: 9848- N

To Whom it May Concern:

The flood water flow through vents at the ground floor level has been determined by the land surveyor, who is surveying each property for change of ownership purposes, to be less than that show on the permitted plans. The permitted plans indicate the minimum requirement of one (1) square inch of opening per one (1) square foot of floor area for the vent area. This was determined to be 931 square inches of vent area. The surveyor has indicated the total vent area to be 484 square inches.

FEMA requirement CFR 44, Section 60.3(C)(5), allows the engineer of record to design the exterior walls to '...automatically equalize hydrostatic floor forces on exterior walls... Designs for meeting this requirement must either be certified by a registered professional engineer or architect or meet or exceed the ... minimum criteria.'

The engineer of record, Thomas F. Devening, P.E., has reviewed the quantities of the net opening amounts listed above in relation to the exterior wall design and has determined that the 484 square inches is sufficient to withstand the hydrostatic forces of flood waters on the exterior walls. Please refer to the attached calculations sheet verifying the results.

If you have any additional questions or concerns please contact this office.

Sincerely,  
RONEY PARRISH DESIGN GROUP, INC.

Timothy E. Roney  
President

a:\winworks\ Villages\Flood\tr

Thomas F. Devening, P.E.  
Structural Engineer, P.E. # 41724

3434 Fourth Street North  
St. Petersburg, Florida 33704

(727) 528-9866  
Fax (727) 528-9826



AR

UNIT F

10' LONG RIDGE VENT - CONT.  
(20' LONG @ UNIT 'F')

METAL ROOFING OVER  
1 LAYER 30 LB. FELT

VINYL SIDING

SINGLE HUNG ALUM.  
WINDOWS, TYP.  
42" HIGH ALUMINUM  
GUARDRAIL SYSTEM

TEXTURED  
WALL FINISH

2" GULL WALL W/SC  
FOR EXPANSE

OVERHEAD SECTIONAL  
GARAGE DOOR

TOP / ROOF

TOP / ROOF BEARING



TOP / 2ND FLOOR

TOP / 1ST FLOOR

BASE FLOOD ELEVATION

TOP / AROUND FL. SLAB

34'-4" MAX.



32'-0" ||

UNIT G

8'-0" ||

UNIT

2 or 2

BLDG. TYPE 3  
FL. FINISH

Handwritten notes and dimensions at the bottom of the page.

To specify your title block on these five lines, use the SETTINGS selection on the main menu and enter your title block information will be printed on each page.

Title : The Villages of North Redington Bea Job # FL01-606  
 Dsgnr: Thomas F Devening Date: 11:05AM, 10 SEP 02  
 Description : Yacht Club Complex

Scope :

SHT 3 OF 4

Rev. 510300  
 User: KW-060703, Ver 5.1.3, 22-Jun-1999, Win32  
 (c) 1983-99 ENERCALC

## Restrained Retaining Wall Design

Page 1  
 c:\ec\fl01-606.ecw\Calculations

**Description** Restrained CMU wall at end unit bearing 2nd and 3rd floor diaphragm. This wall is assumed loaded with DL & LL along with retained water.

### Criteria

Retained Height = 2.09 ft  
 Wall height above soil = 5.91 ft  
 Total Wall Height = 8.00 ft  
 Top Support Height = 8.00 ft  
 Slope Behind Wall = 0.00 : 1  
 Height of Soil over Toe = 6.00 in  
 Soil Density = 110.00 pcf

Wind on Stem = 30.0 psf

### Soil Data

Allow Soil Bearing = 2,000.0 psf  
 Equivalent Fluid Pressure Method  
 Heel Active Pressure = 0.0  
 Toe Active Pressure = 62.4  
 Passive Pressure = 0.0  
 Water height over heel = 0.0 ft  
 Footing|Soil Friction = 0.300  
 Soil height to ignore for passive pressure = 0.00 in

### Footing Strengths & Dimensions

$f_c$  = 3,000 psi  $F_y$  = 60,000 psi  
 Min. As % = 0.0014  
 Toe Width = 0.50 ft  
 Heel Width = 1.50  
 Total Footing Width = 2.00  
 Footing Thickness = 12.00 in  
 Key Width = 0.00 in  
 Key Depth = 0.00 in  
 Key Distance from Toe = 0.00 ft  
 Cover @ Top = 3.00 in @ Btm. = 3.00 in

### Surcharge Loads

Surcharge Over Heel = 100.0 psf  
 >>>NOT Used To Resist Sliding & Overturn  
 Surcharge Over Toe = 50.0 psf  
 NOT Used for Sliding & Overturning

### Uniform Lateral Load Applied to Stem

Lateral Load = 0.0 #/ft  
 ...Height to Top = 0.00 ft  
 ...Height to Bottom = 0.00 ft

### Adjacent Footing Load

Adjacent Footing Load = 0.0 lbs  
 Footing Width = 0.00 ft  
 Eccentricity = 0.00 in  
 Wall to Ftg CL Dist = 0.00 ft  
 Footing Type = Line Load  
 Base Above/Below Soil at Back of Wall = 0.0 ft

### Axial Load Applied to Stem

Axial Dead Load = 785.0 lbs  
 Axial Live Load = 940.0 lbs  
 Axial Load Eccentricity = 0.0 in

### Design Summary

Total Bearing Load = 2,626 lbs  
 ...resultant ecc. = 1.20 in  
 Soil Pressure @ Toe = 1,706 psf OK  
 Soil Pressure @ Heel = 920 psf OK  
 Allowable = 2,000 psf  
 Soil Pressure Less Than Allowable  
 ACI Factored @ Toe = 2,571 psf  
 ACI Factored @ Heel = 1,388 psf  
 Footing Shear @ Toe = 10.1 psi OK  
 Footing Shear @ Heel = 5.7 psi OK  
 Allowable = 93.1 psi  
 Reaction at Top = 111.2 lbs  
 Reaction at Bottom = 44.1 lbs

### Masonry Stem Construction

Thickness = 8.00 in  $f_m$  = 1,250 psi Short Term Factor = 1.000  
 Wall Weight = 49.0 pcf  $F_s$  = 20,000 psi Equiv. Solid Thick. = 4.600 in  
 Stem is FREE to rotate at top of footing n Ratio (Es/Em) = 30.933  
 Block Type = Medium Weight No Special Inspection  
 Partial Grouting

|                 | @ Top Support     | Mmax Between Top & Base | @ Base of Wall    |
|-----------------|-------------------|-------------------------|-------------------|
| Design height   | Stem OK = 8.00 ft | Stem OK = 4.31 ft       | Stem OK = 0.00 ft |
| Rebar Size      | # 4               | # 4                     | # 4               |
| Rebar Spacing   | 48.00 in          | 48.00 in                | 48.00 in          |
| Rebar Placed at | Center            | Center                  | Center            |
| Rebar Depth 'd' | 3.81 in           | 3.81 in                 | 3.81 in           |

**Design Data**  
 fb/FB + fa/Fa = 0.000 0.703 0.000  
 Moment....Actual = 0.0 ft-# 206.1 ft-# 0.0 ft-#  
 Moment....Allowable = 293.3 ft-# 293.3 ft-# 293.3 ft-#  
 Shear Force @ this height = 0.0 lbs 44.1 lbs  
 Shear....Actual = 0.00 psi 1.68 psi  
 Shear....Allowable = 17.68 psi 17.68 psi  
 Rebar Lap Required = 20.00 in 20.00 in  
 Rebar embedment into footing = 6.00 in

Sliding Calcs Slab Resists All Sliding!  
 Lateral Sliding Force = 44.1 lbs

### Footing Design Results

|                    | Toe   | Heel      |
|--------------------|-------|-----------|
| Factored Pressure  | 2,571 | 1,388 psf |
| Mu' : Upward       | 309   | 0 ft-#    |
| Mu' : Downward     | 45    | 233 ft-#  |
| Mu: Design         | 264   | 233 ft-#  |
| Actual 1-Way Shear | 10.13 | 5.73 psi  |
| Allow 1-Way Shear  | 93.11 | 93.11 psi |

### Other Acceptable Sizes & Spacings:

Toe: None Spec'd -or- Not req'd,  $M_u < S * Fr$   
 Heel: None Spec'd -or- Not req'd,  $M_u < S * Fr$   
 Key: No key defined -or- No key defined

#5 @ 6' o/c  
 EQUIV. TO #4 AT 48" o/c

To specify your title block on these five lines, use the SETTINGS selection on the main menu and enter your title block information will be printed on each page.

Title : The Villages of North Redington Bea Job # FL01-606  
 Dsgnr: Thomas F Devening Date: 11:05AM, 10 SEP 02  
 Description : Yacht Club Complex

Scope :

SHT 4 of 4

Rev: 510300  
 User: KW-060703, Ver 5.1.3, 22-Jun-1999, Win32  
 (c) 1983-99 ENERCALC

## Restrained Retaining Wall Design

Page 2  
 c:\ec\fl01-606.ecw:Calculations

**Description**      Restrained CMU wall at end unit bearing 2nd and 3rd floor diaphragm. This wall is assumed loaded with DL & LL along with retained water.

### Summary of Forces on Footing : Slab RESISTS sliding, stem is PINNED at footing

#### Forces acting on footing soil pressure

(taking moments about front of footing to find eccentricity)

|   |   |                   |                 |                    |
|---|---|-------------------|-----------------|--------------------|
| Surcharge Over Heel                                   | = | lbs               | ft              | ft-#               |
| Axial Dead Load on Stem                               | = | 1,725.0lbs        | 0.83 ft         | 1,437.5ft-#        |
| Soil Over Toe   | = | 27.5lbs           | 0.25 ft         | 6.9ft-#            |
| Surcharge Over Toe                                    | = | lbs               | ft              | ft-#               |
| Stem Weight   | = | 392.0lbs          | 0.83 ft         | 326.7ft-#          |
| Soil Over Heel  | = | 191.6lbs          | 1.58 ft         | 303.3ft-#          |
| Footing Weight  | = | 290.0lbs          | 1.00 ft         | 290.0ft-#          |
| <b>Total Vertical Force</b>                           | = | <b>2,626.1lbs</b> | <b>Moment =</b> | <b>2,364.4ft-#</b> |
| <b>Net Moment User For Soil Pressure Calculations</b> |   |                   |                 | <b>261.7 ft-#</b>  |



FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

**ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1 - 7.

**SECTION A - PROPERTY OWNER INFORMATION**

|   |  |  |  |
|---|--|--|--|
| BUILDING OWNER'S NAME<br><b>BRUCE AND MARILYN HALL</b>  |  | For Insurance Company Use:   |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>100 YACHT CLUB CIRCLE</b>     |  | Policy Number  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b>   | ZIP CODE<br><b>33708</b>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 28 TIDES VILLAGE - YACHT BASIN</b> |  |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |  |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>( ##° - ##' - ##.###" or ###.#####°)   | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

**SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION**

|  |                        |   |   |                                 |  |
|--|------------------------|---|---|---------------------------------|--|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |  |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

**SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)**

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

|   |                    |
|---|--------------------|
| <input type="checkbox"/> a) Top of bottom floor (including basement or enclosure)                     | <b>7.1 ft.</b>     |
| <input type="checkbox"/> b) Top of next higher floor  | <b>16.5 ft.</b>    |
| <input type="checkbox"/> c) Bottom of lowest horizontal structural member (V zones only)              | <b>N.A ft.</b>     |
| <input type="checkbox"/> d) Attached garage (top of slab)   | <b>6.8 ft.</b>     |
| <input type="checkbox"/> e) Lowest elevation of machinery and/or equipment servicing the building     | <b>11.5 ft.</b>    |
| <input type="checkbox"/> f) Lowest adjacent grade (LAG)   | <b>5.9 ft.</b>     |
| <input type="checkbox"/> g) Highest adjacent grade (HAG)  | <b>6.4 ft.</b>     |
| <input type="checkbox"/> h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade | <b>64</b>          |
| <input type="checkbox"/> i) Total area of all permanent openings (flood vents) in C3h                 | <b>484 sq. in.</b> |

License Number, Embossed Seal, Signature, and Date

License Number: LS 1762



Date: 7-30-02

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION**

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         |
| SIGNATURE<br> | STATE<br><b>FLORIDA</b>                           |
|  | ZIP CODE<br><b>33761</b>                          |
|  | DATE<br><b>JULY 30, 2002</b>                      |
|  | TELEPHONE<br><b>727-784-3965</b>                  |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>100 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

**COMMENTS**

C3(a) shows the elevation of the enclosed entry

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

ADDRESS CITY STATE ZIP CODE

SIGNATURE DATE TELEPHONE

**COMMENTS**

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

G7. This permit has been issued for:  New Construction  Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

LOCAL OFFICIAL'S NAME TITLE

COMMUNITY NAME TELEPHONE

SIGNATURE DATE

**COMMENTS**

Check here if attachments

10-19-01 728-13 #104086

**FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM**

O.M.B. No. 3067-0077  
Expires July 31, 2002

**ELEVATION CERTIFICATE**

**Important: Read the instructions on pages 1 - 7.**

**SECTION A - PROPERTY OWNER INFORMATION**

|   |                    |  |   |  |  |
|---|--------------------|--|---|--|--|
| BUILDING OWNER'S NAME<br><b>FRED G. AND VIRGINIA MCFALL</b>   |                    |  | For Insurance Company Use:<br>Policy Number |  |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>101 YACHT CLUB CIRCLE</b>     |                    |  | Company NAIC Number                         |  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b> | ZIP CODE<br><b>33708</b>   |   |  |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 1 TIDES VILLAGE - YACHT BASIN</b>  |                    |  |   |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |                    |  |   |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>( ##° - ##' - ###.###" or ###.####°)   |                    | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 |   | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

**SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION**

|  |                        |   |   |                                 |   |
|--|------------------------|---|---|---------------------------------|---|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>Town of N. Redington Beach 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FL</b>          |   |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><b>EL. 11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile     FIRM     Community Determined     Other (Describe): \_\_\_\_\_
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929     NAVD 1988     Other (Describe): \_\_\_\_\_
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date \_\_\_\_\_

**SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)**

Building elevations are based on:  Construction Drawings\*     Building Under Construction\*     Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.


- C2. Building Diagram Number \_ (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum **1929** Conversion/Comments \_\_\_\_\_

Elevation reference mark used **SRD#122** Does the elevation reference mark used appear on the FIRM?  Yes  No

- a) Top of bottom floor (including basement or enclosure) **6.9 ft.**
- b) Top of next higher floor **16.3 ft.**
- c) Bottom of lowest horizontal structural member (V zones only) **N.A ft.**
- d) Attached garage (top of slab) **6.7 ft.**
- e) Lowest elevation of machinery and/or equipment servicing the building **11.7 ft.**
- f) Lowest adjacent grade (LAG) **6.0 ft.**
- g) Highest adjacent grade (HAG) **6.7 ft.**
- h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade **64**
- i) Total area of all permanent openings (flood vents) in C3h **484 sq. in.**

License Number: LS 1762

License Number, Embossed Seal, Signature, and Date



Date: 10-15-01

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION**

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |                                  |                          |
|--|---|----------------------------------|--------------------------|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  |   | LICENSE NUMBER<br><b>LS 1762</b> |                          |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |                                  |                          |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         | STATE<br><b>FLORIDA</b>          | ZIP CODE<br><b>33761</b> |
| SIGNATURE<br> | DATE<br><b>OCTOBER 15, 2001</b>                   | TELEPHONE<br><b>727-784-3965</b> |                          |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>101 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

**COMMENTS**

Section C3(a) shows the enclosed entry floor elevation

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

ADDRESS CITY STATE ZIP CODE

SIGNATURE DATE TELEPHONE

**COMMENTS**

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

G7. This permit has been issued for:  New Construction  Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

LOCAL OFFICIAL'S NAME TITLE

COMMUNITY NAME TELEPHONE

SIGNATURE DATE

**COMMENTS**

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

|   |                    |  |  |
|---|--------------------|--|--|
| <b>SECTION A - PROPERTY OWNER INFORMATION</b>   |                    |  | For Insurance Company Use:   |
| BUILDING OWNER'S NAME<br><i>FRED G. AND VIRGINIA MCFALL</i>   |                    | Policy Number  |  |
| BUILDING STREET ADDRESS (including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><i>101 YACHT CLUB CIRCLE</i>     |                    |  | Company NAIC Number  |
| CITY<br><i>TOWN OF NORTH REDINGTON BEACH</i>  | STATE<br><i>FL</i> | ZIP CODE<br><i>33708</i>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><i>LOT 1 TIDES VILLAGE - YACHT BASIN</i>  |                    |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><i>RESIDENTIAL</i> |                    |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>(##°-##'-##"##" or ##.####")   |                    | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |

**SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION**

|  |                        |   |   |                                 |   |
|--|------------------------|---|---|---------------------------------|---|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><i>Town of N. Redington Beach 125133</i> |                        | B2. COUNTY NAME<br><i>PINELLAS (INDEPENDENT CITY)</i> |   | B3. STATE<br><i>FL</i>          |   |
| B4. MAP AND PANEL NUMBER<br><i>125133 0001</i>   | B5. SUFFIX<br><i>D</i> | B6. FIRM INDEX DATE<br><i>MARCH 2, 1983</i>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><i>MARCH 2, 1983</i> | B8. FLOOD ZONE(S)<br><i>A12</i> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><i>EL. 11</i> |

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe): \_\_\_\_\_

B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe): \_\_\_\_\_

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date \_\_\_\_\_

**SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)**

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number \_\_\_\_\_ (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete items C3a-i below according to the building diagram specified in item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

|  |                    |
|--|--------------------|
| a) Top of bottom floor (including basement or enclosure)                     | 6.9 ft.            |
| b) Top of next higher floor  | 16.3 ft.           |
| c) Bottom of lowest horizontal structural member (V zones only)              | N.A. ft.           |
| d) Attached garage (top of slab)   | 6.7 ft.            |
| e) Lowest elevation of machinery and/or equipment servicing the building     | 11.7 ft.           |
| f) Lowest adjacent grade (LAG)   | 6.0 ft.            |
| g) Highest adjacent grade (HAG)  | 6.7 ft.            |
| h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade | <u>64</u>          |
| i) Total area of all permanent openings (flood vents) in C3h                 | <u>484</u> sq. in. |

License Number: LS 1762



Date: 10-15-01

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION**

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><i>"SANDY" LLOVERAS</i>  | LICENSE NUMBER<br><i>LS 1762</i>                  |
| TITLE<br><i>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</i>                                       | COMPANY NAME<br><i>LLOVERAS, BAUR AND STEVENS</i> |
| ADDRESS<br><i>29228 U.S. HIGHWAY 19 NORTH</i>  | CITY<br><i>CLEARWATER</i>                         |
| SIGNATURE<br> | STATE<br><i>FLORIDA</i>                           |
|  | ZIP CODE<br><i>33761</i>                          |
|  | DATE<br><i>OCTOBER 15, 2001</i>                   |
|  | TELEPHONE<br><i>727-784-3965</i>                  |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>101 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

**COMMENTS**

Section C3(a) shows the enclosed entry floor elevation

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

ADDRESS CITY STATE ZIP CODE

NATURE DATE TELEPHONE

**COMMENTS**

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

G7. This permit has been issued for:  New Construction  Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

LOCAL OFFICIAL'S NAME TITLE

COMMUNITY NAME TELEPHONE

SIGNATURE DATE

**COMMENTS**

Check here if attachments

# Subgrade Crawl Space Exception Verification Letter

Effective May 1, 2008, the Community Rating System (CRS) discount is not available on NFIP policies for Post-FIRM structures located in a Special Flood Hazard Area (SFHA) where the lowest floor elevation used for rating is at least 1 foot or more below the Base Flood Elevation (BFE), with the exception of (1) Post-FIRM V-Zone buildings with unfinished breakaway wall enclosures and machinery or equipment at or above the BFE, and (2) subgrade crawl spaces with certification.

It may be possible to maintain continued CRS discount eligibility if you have a letter from a community official certifying that the subgrade crawl space is built in compliance with the NFIP requirements for crawlspace construction as outlined in Technical Bulletin 11-01, Crawlspace Construction for Buildings Located in Special Flood Hazard Areas.

For subgrade crawl space buildings built in compliance as noted above, please have a community official complete this worksheet to supplement the information on file and continue to receive the CRS discount:

Policy Number: \_\_\_\_\_ Insured Name: Michael Gifford

"I certify that the building located at:

141 yacht club circle, W. Redington Beach  
33704

[address] has a crawl space that was built in compliance with the NFIP requirements for crawl space construction as outlined in FEMA Technical Bulletin 11-01, 'Crawlspace Construction for Buildings Located in Special Flood Hazard Areas.'"

Community Official Title: Community Planning Coordinator - Pinellas County

Community Official Signature: John Kostretes BDRS

Date: 6/4/09

Thank you,  
Flood Insurance Processing Center



FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

**ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1 - 7.

**SECTION A - PROPERTY OWNER INFORMATION**

|   |  |  |  |
|---|--|--|--|
| BUILDING OWNER'S NAME<br><b>MICHAEL T. TERRELL</b>  |  | For Insurance Company Use:   |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>102 YACHT CLUB CIRCLE</b>     |  | Policy Number  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b>   | ZIP CODE<br><b>33708</b>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 27 TIDES VILLAGE - YACHT BASIN</b> |  |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |  |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>( ##° - ##' - ##.###" or ###.####°)  | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

**SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION**

|  |                        |   |   |                                 |   |
|--|------------------------|---|---|---------------------------------|---|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |   |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S)<br>(Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

**SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)**

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

- o a) Top of bottom floor (including basement or enclosure) **7.2 ft.**
- o b) Top of next higher floor **16.5 ft.**
- o c) Bottom of lowest horizontal structural member (V zones only) **N.A ft.**
- o d) Attached garage (top of slab) **6.8 ft.**
- o e) Lowest elevation of machinery and/or equipment servicing the building **11.5 ft.**
- o f) Lowest adjacent grade (LAG) **6.3 ft.**
- o g) Highest adjacent grade (HAG) **6.5 ft.**
- o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade **64**
- o i) Total area of all permanent openings (flood vents) in C3h **484 sq. in.**

License Number, Embossed Seal, Signature, and Date


License Number: LS 1762



Date: 7-30-02

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION**

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |                                  |                          |
|--|---|----------------------------------|--------------------------|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |                                  |                          |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |                                  |                          |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         | STATE<br><b>FLORIDA</b>          | ZIP CODE<br><b>33761</b> |
| SIGNATURE<br> | DATE<br><b>JULY 30, 2002</b>                      | TELEPHONE<br><b>727-784-3965</b> |                          |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>102 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

**COMMENTS**

C3(a) shows the elevation of the enclosed entry

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

ADDRESS CITY STATE ZIP CODE

SIGNATURE DATE TELEPHONE

**COMMENTS**

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

G7. This permit has been issued for:  New Construction  Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

LOCAL OFFICIAL'S NAME TITLE

COMMUNITY NAME TELEPHONE

SIGNATURE DATE

**COMMENTS**

Check here if attachments

10-14-01 DW2-13

#104085

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

|   |                    |  |   |  |  |
|---|--------------------|--|---|--|--|
| BUILDING OWNER'S NAME<br><b>THOMAS AND MARY SCHLEIER</b>  |                    |  | For Insurance Company Use:<br>Policy Number |  |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>103 YACHT CLUB CIRCLE</b>     |                    |  | Company NAIC Number                         |  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b> | ZIP CODE<br><b>33708</b>   |   |  |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 2 TIDES VILLAGE - YACHT BASIN</b>  |                    |  |   |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |                    |  |   |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>(##° - ##' - ###.###" or ##.#####°)  |                    | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 |   | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |  |
|--|------------------------|---|---|---------------------------------|--|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>Town of N. Redington Beach 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FL</b>          |  |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S)<br>(Zone AO, use depth of flooding)<br><b>EL. 11</b> |

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):

B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.


C2. Building Diagram Number \_ (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum **1929** Conversion/Comments \_\_\_\_\_

Elevation reference mark used **SRD#122** Does the elevation reference mark used appear on the FIRM?  Yes  No

|  |                    |
|--|--------------------|
| <input type="radio"/> a) Top of bottom floor (including basement or enclosure)                     | <b>7.0 ft.</b>     |
| <input type="radio"/> b) Top of next higher floor  | <b>16.3 ft.</b>    |
| <input type="radio"/> c) Bottom of lowest horizontal structural member (V zones only)              | <b>N.A ft.</b>     |
| <input type="radio"/> d) Attached garage (top of slab)   | <b>6.7 ft.</b>     |
| <input type="radio"/> e) Lowest elevation of machinery and/or equipment servicing the building     | <b>11.6 ft.</b>    |
| <input type="radio"/> f) Lowest adjacent grade (LAG)   | <b>6.3 ft.</b>     |
| <input type="radio"/> g) Highest adjacent grade (HAG)  | <b>6.7 ft.</b>     |
| <input type="radio"/> h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade | <b>64</b>          |
| <input type="radio"/> i) Total area of all permanent openings (flood vents) in C3h                 | <b>484 sq. in.</b> |


License Number: LS 1762



Date: 10-15-01

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         |
| SIGNATURE<br> | STATE<br><b>FLORIDA</b>                           |
|  | ZIP CODE<br><b>33761</b>                          |
|  | DATE<br><b>OCTOBER 15, 2001</b>                   |
|  | TELEPHONE<br><b>727-784-3965</b>                  |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>103 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
Section C3(a) shows the enclosed entry floor elevation.

---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME \_\_\_\_\_

|                 |            |                 |                |
|-----------------|------------|-----------------|----------------|
| ADDRESS _____   | CITY _____ | STATE _____     | ZIP CODE _____ |
| SIGNATURE _____ | DATE _____ | TELEPHONE _____ |                |

COMMENTS \_\_\_\_\_

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                         |                              |   |
|-------------------------|------------------------------|---|
| G4. PERMIT NUMBER _____ | G5. DATE PERMIT ISSUED _____ | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED _____ |
|-------------------------|------------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                             |                 |
|-----------------------------|-----------------|
| LOCAL OFFICIAL'S NAME _____ | TITLE _____     |
| COMMUNITY NAME _____        | TELEPHONE _____ |
| SIGNATURE _____             | DATE _____      |

COMMENTS \_\_\_\_\_

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

#104046

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

5-22-01  
TNR-13

SECTION A - PROPERTY OWNER INFORMATION

|   |   |  |                          |
|---|---|--|--------------------------|
| BUILDING OWNER'S NAME<br><b>SCHERER CONSTRUCTION</b>  |   | For Insurance Company Use:   |                          |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>#104 YACHT CLUB CIRCLE</b>    |   | Policy Number  |                          |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  |   | STATE<br><b>FL</b>   | ZIP CODE<br><b>33708</b> |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 26 TIDES VILLAGE - YACHT BASIN</b> |   |  |                          |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |   |  |                          |
| LATITUDE/LONGITUDE (OPTIONAL)<br>(##° - ##' - ##.###" or ###.####")   | HORIZONTAL DATUM:<br><input checked="" type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |                          |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |   |
|--|------------------------|---|---|---------------------------------|---|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FL</b>          |   |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S)<br>(Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_


Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

|  |          |
|--|----------|
| o a) Top of bottom floor (including basement or enclosure)                               | 6.8 ft.  |
| o b) Top of next higher floor  | 16.5 ft. |
| o c) Bottom of lowest horizontal structural member (V zones only)                        | N.A ft.  |
| o d) Attached garage (top of slab)   | 6.8 ft.  |
| o e) Lowest elevation of machinery and/or equipment servicing the building               | 11.5 ft. |
| o f) Lowest adjacent grade (LAG)   | 6.3 ft.  |
| o g) Highest adjacent grade (HAG)  | 6.5 ft.  |
| o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade <u>64</u> |          |
| o i) Total area of all permanent openings (flood vents) in C3h <u>484</u> sq. in.        |          |

License Number, Embossed Seal, Signature, and Date

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |
| STATE<br><b>FL</b>   | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         |
| SIGNATURE<br> | STATE<br><b>FLORIDA</b>                           |
|  | ZIP CODE<br><b>33761</b>                          |
|  | DATE<br><b>MAY 8, 2001</b>                        |
|  | TELEPHONE<br><b>727-784-3965</b>                  |

|   |       |          |                            |
|---|-------|----------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>             |       |          | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. |       |          | Policy Number              |
| CITY  | STATE | ZIP CODE | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS

---



---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

|  |      |           |          |
|--|------|-----------|----------|
| PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME |      |           |          |
| ADDRESS  | CITY | STATE     | ZIP CODE |
| SIGNATURE  | DATE | TELEPHONE |          |

COMMENTS

---



---

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                       |           |
|-----------------------|-----------|
| LOCAL OFFICIAL'S NAME | TITLE     |
| COMMUNITY NAME        | TELEPHONE |
| SIGNATURE             | DATE      |

COMMENTS

---



---

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

#104084  
O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

10-31-01 TWR-13

SECTION A - PROPERTY OWNER INFORMATION

|   |  |  |                            |                          |  |
|---|--|--|----------------------------|--------------------------|--|
| BUILDING OWNER'S NAME<br><b>PAUL AND MARLYS DZIADUZ</b>   |  |  | For Insurance Company Use: |                          |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>105 YACHT CLUB CIRCLE</b>     |  |  | Policy Number              |                          |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  |  |  | STATE<br><b>FL</b>         | ZIP CODE<br><b>33708</b> |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 3 TIDES VILLAGE - YACHT BASIN</b>  |  |  |                            |                          |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |  |  |                            |                          |  |

LATITUDE/LONGITUDE (OPTIONAL) (##° - ##' - ##.###" or ##.#####°) HORIZONTAL DATUM:  NAD 1927  NAD 1983 SOURCE:  GPS (Type): \_\_\_\_\_  USGS Quad Map  Other: \_\_\_\_\_

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |   |
|--|------------------------|---|---|---------------------------------|---|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>Town of N. Redington Beach 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FL</b>          |   |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><b>EL. 11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe): \_\_\_\_\_
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe): \_\_\_\_\_
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date \_\_\_\_\_

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction

\*A new Elevation Certificate will be required when construction of the building is complete.

- C2. Building Diagram Number \_ (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

- o a) Top of bottom floor (including basement or enclosure) **7.0 ft.**
- o b) Top of next higher floor **16.3 ft.**
- o c) Bottom of lowest horizontal structural member (V zones only) **N.A ft.**
- o d) Attached garage (top of slab) **6.7 ft.**
- o e) Lowest elevation of machinery and/or equipment servicing the building **11.7 ft.**
- o f) Lowest adjacent grade (LAG) **6.3 ft.**
- o g) Highest adjacent grade (HAG) **6.7 ft.**
- o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade **64**
- o i) Total area of all permanent openings (flood vents) in C3h **484 sq. in.**

License Number: LS 1762

Signature: 

Date: 10-15-01


License Number, Embossed Seal, Signature, and Date

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.

I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.

I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         |
| SIGNATURE<br> | STATE<br><b>FLORIDA</b>                           |
|  | ZIP CODE<br><b>33761</b>                          |
|  | DATE<br><b>OCTOBER 15, 2001</b>                   |
|  | TELEPHONE<br><b>727-784-3965</b>                  |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>105 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
Section C3(a) shows the enclosed entry floor elevation.

---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME \_\_\_\_\_

|                 |            |                 |                |
|-----------------|------------|-----------------|----------------|
| ADDRESS _____   | CITY _____ | STATE _____     | ZIP CODE _____ |
| SIGNATURE _____ | DATE _____ | TELEPHONE _____ |                |

COMMENTS \_\_\_\_\_

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                         |                              |   |
|-------------------------|------------------------------|---|
| G4. PERMIT NUMBER _____ | G5. DATE PERMIT ISSUED _____ | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED _____ |
|-------------------------|------------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                             |                 |
|-----------------------------|-----------------|
| LOCAL OFFICIAL'S NAME _____ | TITLE _____     |
| COMMUNITY NAME _____        | TELEPHONE _____ |
| SIGNATURE _____             | DATE _____      |

COMMENTS \_\_\_\_\_

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

#104047  
O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

5-22-01  
JWR-13

SECTION A - PROPERTY OWNER INFORMATION

|   |                    |   |                            |  |  |
|---|--------------------|---|----------------------------|--|--|
| BUILDING OWNER'S NAME<br><b>RONALD J. SERVIDIO &amp; KATHERINE A. SERVIDIO</b>  |                    |   | For Insurance Company Use: |  |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>#106 YACHT CLUB CIRCLE</b>    |                    |   | Policy Number              |  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b> | ZIP CODE<br><b>33708</b>  | Company NAIC Number        |  |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 25 TIDES VILLAGE - YACHT BASIN</b> |                    |   |                            |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |                    |   |                            |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>(##° - ##' - ###.###" or ##.#####°)  |                    | HORIZONTAL DATUM:<br><input checked="" type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 |                            | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |  |
|--|------------------------|---|---|---------------------------------|--|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FL</b>          |  |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><b>EL.11</b> |

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):

B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number 2 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

|  |                 |
|--|-----------------|
| <input type="radio"/> a) Top of bottom floor (including basement or enclosure)                               | <b>6.8 ft.</b>  |
| <input type="radio"/> b) Top of next higher floor  | <b>16.5 ft.</b> |
| <input type="radio"/> c) Bottom of lowest horizontal structural member (V zones only)                        | <b>N-A ft.</b>  |
| <input type="radio"/> d) Attached garage (top of slab)   | <b>6.8 ft.</b>  |
| <input type="radio"/> e) Lowest elevation of machinery and/or equipment servicing the building               | <b>11.5 ft.</b> |
| <input type="radio"/> f) Lowest adjacent grade (LAG)   | <b>6.3 ft.</b>  |
| <input type="radio"/> g) Highest adjacent grade (HAG)  | <b>6.6 ft.</b>  |
| <input type="radio"/> h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade <b>64</b> |                 |
| <input type="radio"/> i) Total area of all permanent openings (flood vents) in C3h <b>484</b> sq. in.        |                 |

License Number, Embossed Seal, Signature, and Date

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |  |
|--|--|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>                | LICENSE NUMBER<br><b>LS 1762</b>                       |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b> | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b>      |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>              | CITY STATE ZIP CODE<br><b>CLEARWATER FLORIDA 33761</b> |
| SIGNATURE  | DATE TELEPHONE<br><b>MAY 8, 2001 727-784-3965</b>      |

|   |       |          |                            |
|---|-------|----------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>             |       |          | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. |       |          | Policy Number              |
| CITY  | STATE | ZIP CODE | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS

---



---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

---

|           |      |           |          |
|-----------|------|-----------|----------|
| ADDRESS   | CITY | STATE     | ZIP CODE |
| SIGNATURE | DATE | TELEPHONE |          |

COMMENTS

---

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                       |           |
|-----------------------|-----------|
| LOCAL OFFICIAL'S NAME | TITLE     |
| COMMUNITY NAME        | TELEPHONE |
| SIGNATURE             | DATE      |

COMMENTS

---

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

#104083

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

11-5-01 JMR-13

SECTION A - PROPERTY OWNER INFORMATION

|   |  |  |  |
|---|--|--|--|
| BUILDING OWNER'S NAME<br><b>SALLY ANN NUCERO</b>  |  | For Insurance Company Use:   |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>107 YACHT CLUB CIRCLE</b>     |  | Policy Number  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b>   | ZIP CODE<br><b>33708</b>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 4 TIDES VILLAGE - YACHT BASIN</b>  |  |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |  |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>(##° -##' -###" or ##.####°)   | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |  |
|--|------------------------|---|---|---------------------------------|--|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>Town of N. Redington Beach 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FL</b>          |  |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S)<br>(Zone AO, use depth of flooding)<br><b>EL. 11</b> |

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.

FIS Profile  FIRM  Community Determined  Other (Describe):

B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction

\*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number \_ (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.


Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

- o a) Top of bottom floor (including basement or enclosure) **7.0 ft.**
- o b) Top of next higher floor **16.3 ft.**
- o c) Bottom of lowest horizontal structural member (V zones only) **N.A ft.**
- o d) Attached garage (top of slab) **6.7 ft.**
- o e) Lowest elevation of machinery and/or equipment servicing the building **11.6 ft.**
- o f) Lowest adjacent grade (LAG) **6.2 ft.**
- o g) Highest adjacent grade (HAG) **6.7 ft.**
- o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade **64**
- o i) Total area of all permanent openings (flood vents) in C3h **484 sq. in.**

License Number, Embossed Seal, Signature, and Date

License Number: LS 1762



Date: 10-15-01

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.

I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.

I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |                                  |                          |
|--|---|----------------------------------|--------------------------|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |                                  |                          |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |                                  |                          |
| ADDRESS<br><b>29228 U.S. HIGHWAY 1 NORTH</b>   | CITY<br><b>CLEARWATER</b>                         | STATE<br><b>FLORIDA</b>          | ZIP CODE<br><b>33761</b> |
| SIGNATURE<br> | DATE<br><b>OCTOBER 15, 2001</b>                   | TELEPHONE<br><b>727-784-3965</b> |                          |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>107 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

**COMMENTS**

Section C3(a) shows the enclosed entry floor elevation.

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

ADDRESS CITY STATE ZIP CODE

SIGNATURE DATE TELEPHONE

**COMMENTS**

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

G7. This permit has been issued for:  New Construction  Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

LOCAL OFFICIAL'S NAME TITLE

COMMUNITY NAME TELEPHONE

SIGNATURE DATE

**COMMENTS**

Check here if attachments

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|  |                           |
|--|---------------------------|
| BUILDING OWNER'S NAME<br><u>Scherer Construction</u>   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><u>2152 14th Circle North</u> | POLICY NUMBER             |
|  | COMPANY NAIC NUMBER       |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><u>Lot 5 Tides Village, - Yacht Basin</u>                                   |                           |
| CITY<br><u>St. Petersburg</u>  | STATE<br><u>FL</u>        |
| <u>109 YACHT BASIN CIRCLE</u>  | ZIP CODE<br><u>33713</u>  |

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| 125133              | 0001            | D         | March 2, 1983         | A12          | EL. 11  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
  - (a) FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
  - (b) FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
  - (c) FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.
  - (d) FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|  |  |   |                              |
|--|--|---|------------------------------|
| CERTIFIER'S NAME<br><b>S. "Sandy" Lloveras</b>   |  | LICENSE NUMBER (or Allix Seal)<br><b>LS1762</b>   |                              |
| TITLE<br><b>Florida Licensed Surveyor &amp; Mapper</b>   |  | COMPANY NAME<br><b>Lloveras, Baur and Stevens</b> |                              |
| ADDRESS<br><b>29228 U.S. Highway 19</b>  |  | CITY<br><b>Clearwater</b>                         | STATE ZIP<br><b>FL 33761</b> |
| SIGNATURE<br> |  | DATE<br><b>8-6-99</b>                             | PHONE<br><b>727-784-3965</b> |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|   |                           |
|---|---------------------------|
| BUILDING OWNER'S NAME<br>Scherer Construction   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br>2152 14th Circle North | POLICY NUMBER             |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br>Lot 6 Tides Village - Yacht Basin                                    | COMPANY NAIC NUMBER       |
| CITY<br>St. Petersburg  | STATE<br>FL               |
| <i>111 YACHT BASIN CIRCLE</i>   | ZIP CODE<br>33713         |

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| 125133              | 0001            | D         | March 2, 1983         | A12          | EL. 11  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.  
 (a) FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).  
 (b) FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).  
 (c) FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.  
 (d) FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
 (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1, not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>S. "Sandy" Lloveras</b>   | LICENSE NUMBER (or Allix Seal)<br><b>LS1762</b>   |
| TITLE<br><b>Florida Licensed Surveyor &amp; Mapper</b>   | COMPANY NAME<br><b>Lloveras, Baur and Stevens</b> |
| ADDRESS<br><b>29228 U.S. Highway 19 North</b>  | CITY<br><b>Clearwater</b>                         |
|  | STATE<br><b>FL</b>                                |
|  | ZIP<br><b>33761</b>                               |
| SIGNATURE<br> | DATE<br><b>8-6-99</b>                             |
|  | PHONE<br><b>727-784-3965</b>                      |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077

Expires July 31, 1999

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|   |                           |
|---|---------------------------|
| BUILDING OWNER'S NAME<br>Scherer Construction   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br>2152 14th Circle North | POLICY NUMBER             |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br>Lot 7 Tides Village - Yacht Basin                                    | COMPANY NAIC NUMBER       |
| CITY<br>St. Petersburg  | STATE<br>FL               |
| 113 YACHT BASIN Circle  | ZIP CODE<br>33713         |

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| 125133              | 0001            | D         | March 2, 1983         | A12          | EL. 11  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
  - (a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
  - (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
  - (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.
  - (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|  |                           |   |                              |
|--|---------------------------|---|------------------------------|
| CERTIFIER'S NAME<br><b>S. "Sandy" Lloveras</b>   |                           | LICENSE NUMBER (or Allix Seal)<br><b>LS 1762</b>  |                              |
| TITLE<br><b>Florida Licensed Surveyor &amp; Mapper</b>   |                           | COMPANY NAME<br><b>Lloveras, Baur and Stevens</b> |                              |
| ADDRESS<br><b>29228 U.S. Highway 19 North</b>  | CITY<br><b>Clearwater</b> | STATE<br><b>FL</b>                                | ZIP<br><b>33761</b>          |
| SIGNATURE<br> |                           | DATE<br><b>8-6-99</b>                             | PHONE<br><b>727-784-3965</b> |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.


COMMENTS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|  |                           |
|--|---------------------------|
| BUILDING OWNER'S NAME<br><u>Scherer Construction</u>   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><u>2152 14th Circle North</u> | POLICY NUMBER             |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><u>Lot 8 Tides Village Yacht Basin</u>                                      | COMPANY NAIC NUMBER       |
| CITY<br><u>St. Petersburg</u>  | STATE<br><u>FL</u>        |
| <u>115 YACHT BASIN CIRCLE</u>  | ZIP CODE<br><u>33713</u>  |

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| 125133              | 0001            | D         | March 2, 1983         | A12          | EL. 11  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:          feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
  - a. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of          feet NGVD (or other FIRM datum—see Section B, Item 7).
  - b. FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of          feet NGVD (or other FIRM datum—see Section B, Item 7).
  - c. FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is          feet above  or below  (check one) the highest grade adjacent to the building.
  - d. FIRM Zone AO. The floor used as the reference level from the selected diagram is          feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:          feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:          feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|   |            |                                |       |
|---|------------|--------------------------------|-------|
| CERTIFIER'S NAME  |            | LICENSE NUMBER (or Allix Seal) |       |
| S. "Sandy" Lloveras   |            | LS1762                         |       |
| TITLE   |            | COMPANY NAME                   |       |
| Florida Licensed Surveyor & Mapper  |            | Lloveras, Baur and Stevens     |       |
| ADDRESS   | CITY       | STATE                          | ZIP   |
| 29228 U.S. Highway 19 North   | Clearwater | FL                             | 33761 |
| SIGNATURE   | DATE       | PHONE                          |       |
|  | 8-6-99     | 727-784-3965                   |       |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|  |                           |
|--|---------------------------|
| BUILDING OWNER'S NAME<br><u>Scherer Construction</u>   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><u>2152 14th Circle North</u> | POLICY NUMBER             |
|  | COMPANY NAIC NUMBER       |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><u>Lot 9 Tides Village - Yacht Basin</u>                                    |                           |
| CITY<br><u>St. Petersburg</u>  | STATE<br><u>FL</u>        |
| <u>117 YACHT CLUB BASIN Circle</u>   | ZIP CODE<br><u>33713</u>  |

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

|                                      |                                |                       |   |                            |  |
|--------------------------------------|--------------------------------|-----------------------|---|----------------------------|--|
| 1. COMMUNITY NUMBER<br><u>125133</u> | 2. PANEL NUMBER<br><u>0001</u> | 3. SUFFIX<br><u>D</u> | 4. DATE OF FIRM INDEX<br><u>March 2, 1983</u> | 5. FIRM ZONE<br><u>A12</u> | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth)<br><u>EL. 11</u> |
|--------------------------------------|--------------------------------|-----------------------|---|----------------------------|--|

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:          feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

- Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.  
 (a) FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of          feet NGVD (or other FIRM datum—see Section B, Item 7).  
 (b) FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of          feet NGVD (or other FIRM datum—see Section B, Item 7).  
 (c) FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is          feet above  or below  (check one) the highest grade adjacent to the building.  
 (d) FIRM Zone AO. The floor used as the reference level from the selected diagram is          feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
- Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
- Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
- The reference level elevation is based on:  actual construction  construction drawings  
 (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- The elevation of the lowest grade immediately adjacent to the building is:          feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


- the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:          feet NGVD (or other FIRM datum—see Section B, Item 7).
- Date of the start of construction or substantial improvement

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|  |  |  |                       |              |
|--|--|--|-----------------------|--------------|
| CERTIFIER'S NAME<br>S. "Sandy" Lloveras  |  | LICENSE NUMBER (or Allix Seal)<br>LS1762   |                       |              |
| TITLE<br>Florida Licensed Surveyor & Mapper  |  | COMPANY NAME<br>Lloveras, Baur and Stevens |                       |              |
| ADDRESS<br>29228 U.S. Highway 19 North   |  | CITY<br>Clearwater                         | STATE<br>FL           | ZIP<br>33761 |
| SIGNATURE<br> |  | DATE<br>8-6-99                             | PHONE<br>727-784-3965 |              |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

| SECTION A PROPERTY INFORMATION   |                                    | FOR INSURANCE COMPANY USE |                          |
|--|------------------------------------|---------------------------|--------------------------|
| BUILDING OWNER'S NAME<br><u>Scherer Construction</u>   |                                    | POLICY NUMBER             |                          |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><u>2152 14th Circle North</u> |                                    | COMPANY NAIC NUMBER       |                          |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><u>Lot 10 Tides Village Yacht Basin</u>                                     |                                    |                           |                          |
| CITY<br><u>St. Petersburg</u>  | <u>119 YACHT CLUB BASIN Circle</u> | STATE<br><u>FL</u>        | ZIP CODE<br><u>33713</u> |

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| <u>125133</u>       | <u>0001</u>     | <u>D</u>  | <u>March 2, 1983</u>  | <u>A12</u>   | <u>EL. 11</u>                                       |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:        feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 16.3 feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of        feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is        feet above  or below  (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is        feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: 15.2 feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:        feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_.

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|   |                            |                                |       |
|---|----------------------------|--------------------------------|-------|
| CERTIFIER'S NAME  |                            | LICENSE NUMBER (or Allix Seal) |       |
| S. "Sandy" Lloyeras   |                            | LS1762                         |       |
| TITLE   | COMPANY NAME               |                                |       |
| Florida Licensed Surveyor & Mapper  | Lloyeras, Baur and Stevens |                                |       |
| ADDRESS   | CITY                       | STATE                          | ZIP   |
| 29228 U.S. Highway 19 North   | Clearwater                 | FL                             | 33761 |
| SIGNATURE   | DATE                       | PHONE                          |       |
|  | 8-6-99                     | 727-784-3965                   |       |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:

---



---



---




---




---


**ON SLAB**



**WITH BASEMENT**



**ON PILES, PIERS, OR COLUMNS**



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|  |                           |
|--|---------------------------|
| BUILDING OWNER'S NAME<br><b>Scherer Construction</b>   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><b>2152 14th Circle North</b> | POLICY NUMBER             |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><b>Lot 11 Tides Village - Yacht Basin</b>                                   | COMPANY NAIC NUMBER       |
| CITY<br><b>St. Petersburg</b>  | STATE<br><b>FL</b>        |
|  | ZIP CODE<br><b>33713</b>  |

121 Yacht Club Circle

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| 125133              | 0001            | D         | March 2, 1983         | A12          | EL. 11  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
- a. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|   |            |                                |              |
|---|------------|--------------------------------|--------------|
| CERTIFIER'S NAME  |            | LICENSE NUMBER (or Allix Seal) |              |
| S. "Sandy" Lloveras, PE, PSM  |            | LS1762                         |              |
| TITLE   |            | COMPANY NAME                   |              |
| Professional Land Surveyor & Mapper   |            | Lloveras, Baur and Stevens     |              |
| ADDRESS   | CITY       | STATE                          | ZIP          |
| 29228 U.S. Highway 19 North   | Clearwater | FL                             | 33761        |
| SIGNATURE   |            | DATE                           | PHONE        |
|  |            | 11-1-99                        | 727-784-3965 |


Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|  |                           |
|--|---------------------------|
| BUILDING OWNER'S NAME<br><u>Scherer Construction</u>   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><u>2152 14th Circle North</u> | POLICY NUMBER             |
|  | COMPANY NAIC NUMBER       |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><u>Lot 12 Tides Village - Yacht Basin</u>                                   |                           |
| CITY<br><u>St. Petersburg</u>  | STATE<br><u>FL</u>        |
|  | ZIP CODE<br><u>33713</u>  |

123 Yacht Club Circle

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| 125133              | 0001            | D         | March 2, 1983         | A12          | EL. 11  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
  - a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
  - b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
  - c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.
  - d). FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|   |                            |                                |       |
|---|----------------------------|--------------------------------|-------|
| CERTIFIER'S NAME  |                            | LICENSE NUMBER (or Affix Seal) |       |
| S. "Sandy" Lloveras, PE, PSM  |                            | LS1762                         |       |
| TITLE   | COMPANY NAME               |                                |       |
| Professional Land Surveyor & Mapper   | Lloveras, Baur and Stevens |                                |       |
| ADDRESS   | CITY                       | STATE                          | ZIP   |
| 29228 U.S. Highway 19 North   | Clearwater                 | FL                             | 33761 |
| SIGNATURE   | DATE                       | PHONE                          |       |
|  | 11-1-99                    | 727-784-3965                   |       |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:

---



---



---




---



---



---



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|  |                           |
|--|---------------------------|
| BUILDING OWNER'S NAME<br><u>Scherer Construction</u>   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><u>2152 14th Circle North</u> | POLICY NUMBER             |
|  | COMPANY NAIC NUMBER       |

OTHER DESCRIPTION (Lot and Block Numbers, etc.)  
Lot 13 Tides Village - Yacht Basin

125 Yacht Club Circle

CITY  
St. Petersburg

STATE  
FL ZIP CODE  
33713

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| <u>125133</u>       | <u>0001</u>     | <u>D</u>  | <u>March 2, 1983</u>  | <u>A12</u>   | <u>EL. 11</u>                                       |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:            feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
  - a. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of            feet NGVD (or other FIRM datum—see Section B, Item 7).
  - b. FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of            feet NGVD (or other FIRM datum—see Section B, Item 7).
  - c. FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is            feet above  or below  (check one) the highest grade adjacent to the building.
  - d. FIRM Zone AO. The floor used as the reference level from the selected diagram is            feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
2. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
3. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
4. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
5. The elevation of the lowest grade immediately adjacent to the building is:            feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:            feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|  |                    |  |                       |
|--|--------------------|--|-----------------------|
| CERTIFIER'S NAME<br>S. "Sandy" Lloveras, PE, PSM   |                    | LICENSE NUMBER (or Allix Seal)<br>LS1762   |                       |
| TITLE<br>Professional Land Surveyor & Mapper   |                    | COMPANY NAME<br>Lloveras, Baur and Stevens |                       |
| ADDRESS<br>29228 U.S. Highway 9 North  | CITY<br>Clearwater | STATE<br>FL                                | ZIP<br>33761          |
| SIGNATURE<br> |                    | DATE<br>11-1-99                            | PHONE<br>727-784-3965 |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:

---



---




---



---



---



# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|   |                           |
|---|---------------------------|
| BUILDING OWNER'S NAME<br>Scherer Construction   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br>2152 14th Circle North | POLICY NUMBER             |
|   | COMPANY NAIC NUMBER       |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br>Lot 14 Tides Village - Yacht Basin                                   |                           |
| CITY<br>St. Petersburg  | STATE<br>FL               |
|   | ZIP CODE<br>33713         |

127 Yacht Club Circle

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| 125133              | 0001            | D         | March 2, 1983         | A12          | EL. 11  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)  
 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.  
 (a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).  
 (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).  
 (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.  
 (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
 (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 of the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|   |            |                                |       |
|---|------------|--------------------------------|-------|
| CERTIFIER'S NAME  |            | LICENSE NUMBER (or Allix Seal) |       |
| S. "Sandy" Lloveras, PE, PSM  |            | LS1762                         |       |
| TITLE   |            | COMPANY NAME                   |       |
| Professional Land Surveyor & Mapper   |            | Lloveras, Baur and Stevens     |       |
| ADDRESS   | CITY       | STATE                          | ZIP   |
| 29228 U.S. Highway 9 North  | Clearwater | FL                             | 33761 |
| SIGNATURE   | DATE       | PHONE                          |       |
|  | 11-1-99    | 727-784-3965                   |       |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

|  |                           |
|--|---------------------------|
| BUILDING OWNER'S NAME<br><u>Scherer Construction</u>   | FOR INSURANCE COMPANY USE |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><u>2152 14th Circle North</u> | POLICY NUMBER             |
|  | COMPANY NAIC NUMBER       |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><u>Lot 15 Tides Village - Yacht Basin</u>                                   |                           |
| CITY<br><u>St. Petersburg</u>  | STATE<br><u>FL</u>        |
|  | ZIP CODE<br><u>33713</u>  |

129 Yacht Club Circle

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

|                                      |                                |                       |   |                            |  |
|--------------------------------------|--------------------------------|-----------------------|---|----------------------------|--|
| 1. COMMUNITY NUMBER<br><u>125133</u> | 2. PANEL NUMBER<br><u>0001</u> | 3. SUFFIX<br><u>D</u> | 4. DATE OF FIRM INDEX<br><u>March 2, 1983</u> | 5. FIRM ZONE<br><u>A12</u> | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth)<br><u>EL. 11</u> |
|--------------------------------------|--------------------------------|-----------------------|---|----------------------------|--|

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:            feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
  - (a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of            feet NGVD (or other FIRM datum—see Section B, Item 7).
  - (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of            feet NGVD (or other FIRM datum—see Section B, Item 7).
  - (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is            feet above  or below  (check one) the highest grade adjacent to the building.
  - (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is            feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:            feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:            feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|  |  |  |                       |
|--|--|--|-----------------------|
| CERTIFIER'S NAME<br>S. "Sandy" Lloveras, PE, PSM   |  | LICENSE NUMBER (or Affix Seal)<br>LS1762   |                       |
| TITLE<br>Professional Land Surveyor & Mapper   |  | COMPANY NAME<br>Lloveras, Baur and Stevens |                       |
| ADDRESS<br>29228 U.s. Highway North  |  | CITY<br>Clearwater,                        | STATE<br>FL           |
|  |  |  | ZIP<br>33761          |
| SIGNATURE<br> |  | DATE<br>11-1-99                            | PHONE<br>727-784-3965 |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.  
 Elevations for all A Zones should be measured at the top of the reference level floor.  
 Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 1999

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

| SECTION A PROPERTY INFORMATION   |  | FOR INSURANCE COMPANY USE |                          |
|--|--|---------------------------|--------------------------|
| BUILDING OWNER'S NAME<br><u>Scherer Construction</u>   |  | POLICY NUMBER             |                          |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><u>2152 14th Circle North</u> |  | COMPANY NAIC NUMBER       |                          |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><u>Lot 16 Tides Village - Yacht Basin</u>                                   |  |                           |                          |
| CITY<br><u>St. Petersburg</u>  |  | STATE<br><u>FL</u>        | ZIP CODE<br><u>33713</u> |

131 Yacht Club Circle

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| 125133              | 0001            | D         | March 2, 1983         | A12          | EL. 11  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8.
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION


1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

|  |  |
|--|--|
| CERTIFIER'S NAME<br>S. "Sandy" Lloveras, PE, PSM   | LICENSE NUMBER (or Allix Seal)<br>LS1762   |
| TITLE<br>Professional Land Surveyor & Mapper   | COMPANY NAME<br>Lloveras, Baur and Stevens |
| ADDRESS<br>29228 U.S. Highway 19 North   | CITY<br>Clearwater                         |
|  | STATE<br>FL                                |
|  | ZIP<br>33761                               |
| SIGNATURE<br> | DATE<br>11-1-99                            |
|  | PHONE<br>727-784-3965                      |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

|   |                    |  |  |
|---|--------------------|--|--|
| BUILDING OWNER'S NAME<br><b>GEORGE AND MARIE KOTSCH</b>   |                    | For Insurance Company Use:   |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>133 YACHT CLUB CIRCLE</b>     |                    | Policy Number  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b> | ZIP CODE<br><b>33708</b>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 17 TIDES VILLAGE - YACHT BASIN</b> |                    |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |                    |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>( ##° - ##' - ##.###" or ###.#####°)   |                    | HORIZONTAL DATUM: SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 <input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |  |
|--|------------------------|---|---|---------------------------------|--|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |  |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.

- C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

- o a) Top of bottom floor (including basement or enclosure) **7.1 ft.**
- o b) Top of next higher floor **16.4 ft.**
- o c) Bottom of lowest horizontal structural member (V zones only) **N.A ft.**
- o d) Attached garage (top of slab) **6.7 ft.**
- o e) Lowest elevation of machinery and/or equipment servicing the building **11.6 ft.**
- o f) Lowest adjacent grade (LAG) **6.1 ft.**
- o g) Highest adjacent grade (HAG) **6.6 ft.**
- o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade **64**
- o i) Total area of all permanent openings (flood vents) in C3h **484 sq. in.**

License Number, Embossed Seal, Signature, and Date


License Number: LS 1762



Date: 1-8-02

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |                                  |                          |
|--|---|----------------------------------|--------------------------|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |                                  |                          |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |                                  |                          |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         | STATE<br><b>FLORIDA</b>          | ZIP CODE<br><b>33761</b> |
| SIGNATURE<br> | DATE<br><b>JANUARY 8, 2002</b>                    | TELEPHONE<br><b>727-784-3965</b> |                          |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>133 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
C3(a) shows the elevation of the enclosed entry

---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_\_ ft.(m) \_\_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_\_ ft.(m) \_\_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME \_\_\_\_\_

|                 |            |                 |                |
|-----------------|------------|-----------------|----------------|
| ADDRESS _____   | CITY _____ | STATE _____     | ZIP CODE _____ |
| SIGNATURE _____ | DATE _____ | TELEPHONE _____ |                |

COMMENTS \_\_\_\_\_

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                         |                              |   |
|-------------------------|------------------------------|---|
| G4. PERMIT NUMBER _____ | G5. DATE PERMIT ISSUED _____ | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED _____ |
|-------------------------|------------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                             |                 |
|-----------------------------|-----------------|
| LOCAL OFFICIAL'S NAME _____ | TITLE _____     |
| COMMUNITY NAME _____        | TELEPHONE _____ |
| SIGNATURE _____             | DATE _____      |
| COMMENTS _____              |                 |

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

|   |                    |  |   |  |  |
|---|--------------------|--|---|--|--|
| BUILDING OWNER'S NAME<br><b>LLOYD D. AND MICHELLE L. BALLARD</b>  |                    |  | For Insurance Company Use:<br>Policy Number |  |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>134 YACHT CLUB CIRCLE</b>     |                    |  | Company NAIC Number                         |  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b> | ZIP CODE<br><b>33708</b>   |   |  |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 24 TIDES VILLAGE - YACHT BASIN</b> |                    |  |   |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |                    |  |   |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>(##° - ##' - ##.###" or ###.####°)   |                    | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 |   | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |   |
|--|------------------------|---|---|---------------------------------|---|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |   |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S)<br>(Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.


C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

|  |          |
|--|----------|
| <input type="radio"/> a) Top of bottom floor (including basement or enclosure)                               | 7.1 ft.  |
| <input type="radio"/> b) Top of next higher floor  | 16.5 ft. |
| <input type="radio"/> c) Bottom of lowest horizontal structural member (V zones only)                        | N.A ft.  |
| <input type="radio"/> d) Attached garage (top of slab)   | 6.8 ft.  |
| <input type="radio"/> e) Lowest elevation of machinery and/or equipment servicing the building               | 11.3 ft. |
| <input type="radio"/> f) Lowest adjacent grade (LAG)   | 5.7 ft.  |
| <input type="radio"/> g) Highest adjacent grade (HAG)  | 6.4 ft.  |
| <input type="radio"/> h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade <u>64</u> |          |
| <input type="radio"/> i) Total area of all permanent openings (flood vents) in C3h <u>484</u> sq. in.        |          |

License Number: I.S 1762



Date: 1-8-02

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>S. "SANDY" LLOVERAS</b>   | LICENSE NUMBER<br><b>LS 1762</b>                  |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         |
| SIGNATURE<br> | STATE<br><b>FLORIDA</b>                           |
|  | ZIP CODE<br><b>33761</b>                          |
|  | DATE<br><b>JANUARY 8, 2002</b>                    |
|  | TELEPHONE<br><b>727-784-3965</b>                  |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>134 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
C3(a) shows the elevation of the enclosed entry

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

|  |      |           |          |
|--|------|-----------|----------|
| PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME |      |           |          |
| ADDRESS  | CITY | STATE     | ZIP CODE |
| SIGNATURE  | DATE | TELEPHONE |          |

COMMENTS

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                       |           |
|-----------------------|-----------|
| LOCAL OFFICIAL'S NAME | TITLE     |
| COMMUNITY NAME        | TELEPHONE |
| SIGNATURE             | DATE      |
| COMMENTS              |           |

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

|   |  |  |  |
|---|--|--|--|
| BUILDING OWNER'S NAME<br><b>RICHARD M. AND JANE S. LEE-SHUE</b>   |  | For Insurance Company Use:   |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>135 YACHT CLUB CIRCLE</b>     |  | Policy Number  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b>   | ZIP CODE<br><b>33708</b>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 18 TIDES VILLAGE - YACHT BASIN</b> |  |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |  |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>(##° - ##' - ##.###" or ##.#####°)   | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |   |
|--|------------------------|---|---|---------------------------------|---|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |   |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S)<br>(Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

- Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.
- C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_
- Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No
- |  |                    |
|--|--------------------|
| o a) Top of bottom floor (including basement or enclosure)                     | <b>7.0 ft.</b>     |
| o b) Top of next higher floor  | <b>16.4 ft.</b>    |
| o c) Bottom of lowest horizontal structural member (V zones only)              | <b>N.A ft.</b>     |
| o d) Attached garage (top of slab)   | <b>6.7 ft.</b>     |
| o e) Lowest elevation of machinery and/or equipment servicing the building     | <b>11.7 ft.</b>    |
| o f) Lowest adjacent grade (LAG)   | <b>6.4 ft.</b>     |
| o g) Highest adjacent grade (HAG)  | <b>6.7 ft.</b>     |
| o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade | <b>64</b>          |
| o i) Total area of all permanent openings (flood vents) in C3h                 | <b>484 sq. in.</b> |

License Number: LS 1762



Date: 1-8-02

License Number, Embossed Seal, Signature, and Date

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         |
| SIGNATURE<br> | STATE<br><b>FLORIDA</b>                           |
|  | ZIP CODE<br><b>33761</b>                          |
|  | DATE<br><b>JANUARY 8, 2002</b>                    |
|  | TELEPHONE<br><b>727-784-3965</b>                  |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>135 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
C3(a) shows the elevation of the enclosed entry

---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME \_\_\_\_\_

|                 |            |                 |                |
|-----------------|------------|-----------------|----------------|
| ADDRESS _____   | CITY _____ | STATE _____     | ZIP CODE _____ |
| SIGNATURE _____ | DATE _____ | TELEPHONE _____ |                |

COMMENTS \_\_\_\_\_

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (items G4-G9) is provided for community floodplain management purposes.

|                         |                              |   |
|-------------------------|------------------------------|---|
| G4. PERMIT NUMBER _____ | G5. DATE PERMIT ISSUED _____ | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED _____ |
|-------------------------|------------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                             |                 |
|-----------------------------|-----------------|
| LOCAL OFFICIAL'S NAME _____ | TITLE _____     |
| COMMUNITY NAME _____        | TELEPHONE _____ |
| SIGNATURE _____             | DATE _____      |

COMMENTS \_\_\_\_\_

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

|   |                    |  |  |
|---|--------------------|--|--|
| BUILDING OWNER'S NAME<br><b>TIMOTHY AND SUSAN K. WILSON</b>   |                    | For Insurance Company Use:<br>Policy Number  |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>136 YACHT CLUB CIRCLE</b>     |                    | Company NAIC Number  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b> | ZIP CODE<br><b>33708</b>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 23 TIDES VILLAGE - YACHT BASIN</b> |                    |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |                    |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>( ##° - ##' - ##.###" or ###.#####°)   |                    | HORIZONTAL DATUM: SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 <input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |   |
|--|------------------------|---|---|---------------------------------|---|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |   |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S)<br>(Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number **Z** (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)


C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum **1929** Conversion/Comments \_\_\_\_\_

Elevation reference mark used **SRD#122** Does the elevation reference mark used appear on the FIRM?  Yes  No

|   |                    |
|---|--------------------|
| <input type="checkbox"/> a) Top of bottom floor (including basement or enclosure)                     | <b>7.0 ft.</b>     |
| <input type="checkbox"/> b) Top of next higher floor  | <b>16.4 ft.</b>    |
| <input type="checkbox"/> c) Bottom of lowest horizontal structural member (V zones only)              | <b>N.A ft.</b>     |
| <input type="checkbox"/> d) Attached garage (top of slab)   | <b>6.7 ft.</b>     |
| <input type="checkbox"/> e) Lowest elevation of machinery and/or equipment servicing the building     | <b>11.3 ft.</b>    |
| <input type="checkbox"/> f) Lowest adjacent grade (LAG)   | <b>5.3 ft.</b>     |
| <input type="checkbox"/> g) Highest adjacent grade (HAG)  | <b>5.9 ft.</b>     |
| <input type="checkbox"/> h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade | <b>64</b>          |
| <input type="checkbox"/> i) Total area of all permanent openings (flood vents) in C3h                 | <b>484 sq. in.</b> |

License Number, Embossed Seal, Signature, and Date

License Number: LS 1762



Date: 1-8-02

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |                                  |                          |
|--|---|----------------------------------|--------------------------|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |                                  |                          |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |                                  |                          |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         | STATE<br><b>FLORIDA</b>          | ZIP CODE<br><b>33761</b> |
| SIGNATURE<br> | DATE<br><b>JANUARY 8, 2002</b>                    | TELEPHONE<br><b>727-784-3965</b> |                          |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>136 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
C3(a) shows the elevation of the enclosed entry

---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. *If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.*

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

|  |      |           |          |
|--|------|-----------|----------|
| PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME |      |           |          |
| ADDRESS  | CITY | STATE     | ZIP CODE |
| SIGNATURE  | DATE | TELEPHONE |          |

COMMENTS

---

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                       |           |
|-----------------------|-----------|
| LOCAL OFFICIAL'S NAME | TITLE     |
| COMMUNITY NAME        | TELEPHONE |
| SIGNATURE             | DATE      |
| COMMENTS              |           |

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

|   |                    |  |  |
|---|--------------------|--|--|
| BUILDING OWNER'S NAME<br><b>R. SCOTT AND DANIELA NEWTH</b>  |                    | For Insurance Company Use:<br>Policy Number  |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>137 YACHT CLUB CIRCLE</b>     |                    | Company NAIC Number  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b> | ZIP CODE<br><b>33708</b>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 19 TIDES VILLAGE - YACHT BASIN</b> |                    |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |                    |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>( ##° - ##' - ###.###" or ###.#####°)  |                    | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983   |  |
|   |                    | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |  |
|--|------------------------|---|---|---------------------------------|--|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |  |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction

\*A new Elevation Certificate will be required when construction of the building is complete.


- C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

- o a) Top of bottom floor (including basement or enclosure) **7.0 ft.**
- o b) Top of next higher floor **16.4 ft.**
- o c) Bottom of lowest horizontal structural member (V zones only) **N.A ft.**
- o d) Attached garage (top of slab) **6.7 ft.**
- o e) Lowest elevation of machinery and/or equipment servicing the building **11.6 ft.**
- o f) Lowest adjacent grade (LAG) **6.2 ft.**
- o g) Highest adjacent grade (HAG) **6.7 ft.**
- o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade **64**
- o i) Total area of all permanent openings (flood vents) in C3h **484 sq. in.**

License Number, Embossed Seal, Signature, and Date

License Number: LS 1762



Date: 1-8-02

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.

I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.

I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |  |
|--|--|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                       |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b>      |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY STATE ZIP CODE<br><b>CLEARWATER FLORIDA 33761</b> |
| SIGNATURE<br> | DATE TELEPHONE<br><b>JANUARY 8, 2002 727-784-3965</b>  |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>137 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
C3(a) shows the elevation of the enclosed entry

---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME \_\_\_\_\_

|                 |            |                 |                |
|-----------------|------------|-----------------|----------------|
| ADDRESS _____   | CITY _____ | STATE _____     | ZIP CODE _____ |
| SIGNATURE _____ | DATE _____ | TELEPHONE _____ |                |

COMMENTS \_\_\_\_\_

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                         |                              |   |
|-------------------------|------------------------------|---|
| G4. PERMIT NUMBER _____ | G5. DATE PERMIT ISSUED _____ | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED _____ |
|-------------------------|------------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                             |                 |
|-----------------------------|-----------------|
| LOCAL OFFICIAL'S NAME _____ | TITLE _____     |
| COMMUNITY NAME _____        | TELEPHONE _____ |
| SIGNATURE _____             | DATE _____      |

COMMENTS \_\_\_\_\_

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

**ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1 - 7.

**SECTION A - PROPERTY OWNER INFORMATION**

|   |                    |  |   |  |  |
|---|--------------------|--|---|--|--|
| BUILDING OWNER'S NAME<br><b>RICHARD AND ESTER GONZALEZ</b>  |                    |  | For Insurance Company Use:<br>Policy Number |  |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>139 YACHT CLUB CIRCLE</b>     |                    |  | Company NAIC Number                         |  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  | STATE<br><b>FL</b> | ZIP CODE<br><b>33708</b>   |   |  |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 20 TIDES VILLAGE - YACHT BASIN</b> |                    |  |   |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |                    |  |   |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>( ##° - ##' - ###" or ##.#####°)   |                    | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 |   | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

**SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION**

|  |                        |   |   |                                 |  |
|--|------------------------|---|---|---------------------------------|--|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |  |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><b>EL.11</b> |


- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

**SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)**

- Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.
- C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_
- Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No
- o a) Top of bottom floor (including basement or enclosure) **7.0 ft.**
  - o b) Top of next higher floor **16.4 ft.**
  - o c) Bottom of lowest horizontal structural member (V zones only) **N.A ft.**
  - o d) Attached garage (top of slab) **6.7 ft.**
  - o e) Lowest elevation of machinery and/or equipment servicing the building **11.4 ft.**
  - o f) Lowest adjacent grade (LAG) **6.2 ft.**
  - o g) Highest adjacent grade (HAG) **6.7 ft.**
  - o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade **64**
  - o i) Total area of all permanent openings (flood vents) in C3h **484 sq. in.**

License Number, Embossed Seal, Signature, and Date

License Number: LS 1762



Date: 1-8-02

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION**

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.  
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.  
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>J. "SANDY" LLOVERAS</b>   | LICENSE NUMBER<br><b>LS 1762</b>                  |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         |
| SIGNATURE<br> | STATE<br><b>FLORIDA</b>                           |
|  | ZIP CODE<br><b>33761</b>                          |
|  | DATE<br><b>JANUARY 8, 2002</b>                    |
|  | TELEPHONE<br><b>727-784-3965</b>                  |

|  |             |                   |                            |  |
|--|-------------|-------------------|----------------------------|--|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>139 Yacht Club Circle |             |                   | Policy Number              |  |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |  |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
C3(a) shows the elevation of the enclosed entry

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME \_\_\_\_\_

|                 |            |                 |                |
|-----------------|------------|-----------------|----------------|
| ADDRESS _____   | CITY _____ | STATE _____     | ZIP CODE _____ |
| SIGNATURE _____ | DATE _____ | TELEPHONE _____ |                |

COMMENTS \_\_\_\_\_

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                         |                              |   |
|-------------------------|------------------------------|---|
| G4. PERMIT NUMBER _____ | G5. DATE PERMIT ISSUED _____ | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED _____ |
|-------------------------|------------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                             |                 |
|-----------------------------|-----------------|
| LOCAL OFFICIAL'S NAME _____ | TITLE _____     |
| COMMUNITY NAME _____        | TELEPHONE _____ |
| SIGNATURE _____             | DATE _____      |

COMMENTS \_\_\_\_\_

Check here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077  
Expires July 31, 2002

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

|   |  |  |                            |  |  |
|---|--|--|----------------------------|--|--|
| BUILDING OWNER'S NAME<br><b>JANE E. DAVIS</b>   |  |  | For Insurance Company Use: |  |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br><b>140 YACHT CLUB CIRCLE</b>     |  |  | Policy Number              |  |  |
| CITY<br><b>TOWN OF NORTH REDINGTON BEACH</b>  |  |  | STATE<br><b>FL</b>         | ZIP CODE<br><b>33708</b>   |  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)<br><b>LOT 21 TIDES VILLAGE - YACHT BASIN</b> |  |  |                            |  |  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.)<br><b>RESIDENTIAL</b> |  |  |                            |  |  |
| LATITUDE/LONGITUDE (OPTIONAL)<br>(##° - ##' - ##.###" or ##.#####")   |  | HORIZONTAL DATUM:<br><input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 |                            | SOURCE: <input type="checkbox"/> GPS (Type): _____<br><input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____ |  |

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|  |                        |   |   |                                 |  |
|--|------------------------|---|---|---------------------------------|--|
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER<br><b>TOWN OF N. REDINGTON BEACH 125133</b> |                        | B2. COUNTY NAME<br><b>PINELLAS (INDEPENDENT CITY)</b> |   | B3. STATE<br><b>FLORIDA</b>     |  |
| B4. MAP AND PANEL NUMBER<br><b>125133 0001</b>   | B5. SUFFIX<br><b>D</b> | B6. FIRM INDEX DATE<br><b>MARCH 2, 1983</b>           | B7. FIRM PANEL EFFECTIVE/REVISED DATE<br><b>MARCH 2, 1983</b> | B8. FLOOD ZONE(S)<br><b>A12</b> | B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)<br><b>EL.11</b> |

- B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe):
- B11. Indicate the elevation datum used for the BFE in B9:  NGVD 1929  NAVD 1988  Other (Describe):
- B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
 \*A new Elevation Certificate will be required when construction of the building is complete.


C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO  
 Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.  
 Datum 1929 Conversion/Comments \_\_\_\_\_

Elevation reference mark used SRD#122 Does the elevation reference mark used appear on the FIRM?  Yes  No

- o a) Top of bottom floor (including basement or enclosure) **7.0 ft.**
- o b) Top of next higher floor **16.4 ft.**
- o c) Bottom of lowest horizontal structural member (V zones only) **N.A ft.**
- o d) Attached garage (top of slab) **6.7 ft.**
- o e) Lowest elevation of machinery and/or equipment servicing the building **11.4 ft.**
- o f) Lowest adjacent grade (LAG) **5.3 ft.**
- o g) Highest adjacent grade (HAG) **5.9 ft.**
- o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade **64**
- o i) Total area of all permanent openings (flood vents) in C3h **484 sq. in.**

License Number: LS 1762



Date: 1-8-02

License Number, Embossed Seal, Signature, and Date

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

|  |   |
|--|---|
| CERTIFIER'S NAME<br><b>"SANDY" LLOVERAS</b>  | LICENSE NUMBER<br><b>LS 1762</b>                  |
| TITLE<br><b>FLORIDA PROFESSIONAL SURVEYOR &amp; MAPPER</b>                                       | COMPANY NAME<br><b>LLOVERAS, BAUR AND STEVENS</b> |
| ADDRESS<br><b>29228 U.S. HIGHWAY 19 NORTH</b>  | CITY<br><b>CLEARWATER</b>                         |
| SIGNATURE<br> | STATE<br><b>FLORIDA</b>                           |
|  | ZIP CODE<br><b>33761</b>                          |
|  | DATE<br><b>JANUARY 8, 2002</b>                    |
|  | TELEPHONE<br><b>727-784-3965</b>                  |

|  |             |                   |                            |
|--|-------------|-------------------|----------------------------|
| <b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>                                      |             |                   | For Insurance Company Use: |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.<br>140 Yacht Club Circle |             |                   | Policy Number              |
| CITY<br>Town of North Redington Beach  | STATE<br>FL | ZIP CODE<br>33708 | Company NAIC Number        |

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS  
C3(a) shows the elevation of the enclosed entry

---



---

Check here if attachments

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

- E1. Building Diagram Number \_\_ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is \_\_ ft.(m) \_\_ in.(cm)  above or  below (check one) the highest adjacent grade.
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is \_\_ ft.(m) \_\_ in.(cm) above the highest adjacent grade.
- E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

|           |      |           |          |
|-----------|------|-----------|----------|
| ADDRESS   | CITY | STATE     | ZIP CODE |
| SIGNATURE | DATE | TELEPHONE |          |

COMMENTS

---

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1.  The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

|                   |                        |   |
|-------------------|------------------------|---|
| G4. PERMIT NUMBER | G5. DATE PERMIT ISSUED | G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED |
|-------------------|------------------------|---|

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site is: \_\_\_\_\_ ft.(m) Datum: \_\_\_\_\_

|                       |           |
|-----------------------|-----------|
| LOCAL OFFICIAL'S NAME | TITLE     |
| COMMUNITY NAME        | TELEPHONE |
| SIGNATURE             | DATE      |
| COMMENTS              |           |

Check here if attachments